Materials:

Solid American Oak: Trim at footing with oak veneer,

Plywood frame

Satin finish water-based PU lacquer



Solid American
Oak

Fill: Medium density high resilient foam

Seat: Constructed from Sinuous steel springs

Fabric:

Poly-Nylon: 95% Polyester, 5% Nylon, 370 GSM


Abrasion durability: 40,000 rubs Pilling durability: 4.0 @ 5,000 rubs

Care:

Enhance the longevity and natural beauty of your timber by regularly dusting it and using cleaning products specifically designed for use on wood. To keep your timber looking its best, protect it from direct heat sources and sudden temperature changes, and swiftly clean up any spills or condensation to prevent excessive moisture exposure. Over time, the colour of real wood may naturally change, and exposure to UV light may accelerate this process.

Fabric:

We recommend vacuuming the fabric components each month. Applying a fabric protective spray every 3 months. Spot clean as needed with fabric care products. For bigger jobs, specialist upholstery clean only (steam clean).



Single Seat Module



Corner Module



Chaise Module



Ottoman






Straight Configurations

Configuration	
2 Seater W 194cm D 97cm H 80cm	97 cm 194 cm
3 Seater W 289cm □ 97cm H 80cm	289 cm
4 Seater	97 cm 384 cm

Chaise Configurations: Return Without Back Support





Chaise Configurations: Return With Back Support

